CiteSeer Find: | screen saver and news | | Documents | | Citations |

Searching for screen saver and news

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

7 documents found. **Order: citations weighted by year.**

Synchronization in Distributed Multimedia Applications - Mr Rahul Pathak (Correct)
(www.pointcast.com/when operating in "**screen saver**" mode. From the point of view of a content
from multimedia CD-ROMs. Consider a television **news** broadcast: many parts of the television screen
and computer user interfaces -windows pop up in a **news** broadcast or program items are presented in menu
trident.mcs.kent.edu/~arvind/graduate-reports/rahul-darshan.pdf

IUCF UNIX User's Guide - David Williams Dwwillia (Correct)
the mouse or press a key. This will stop the **screen saver**. If the screen says it is locked by some user,
:28 16 USENET **News** 29 16.1 Reading **News** :
:29 16.2 Posting **News** :
www.iucf.indiana.edu/Facilities/Computers/Docs/UUG/UNIX_users_guide.ps

CWIC: Continuous Web Image Collector - Quasedra Brown Scott (2000) (Correct)
mechanisms like background wallpaper and **screen savers** to provide the user with alternative
pleasing manner. CWIC provides the user with **new** directions to the World Wide Web using images as
a good memory for images and can distinguish quickly **new** images [12]Thus, a system based on image
www.cc.gatech.edu/grads/m/Scott.McCrickard/papers/cwicfinal.ps.gz

An Extensible Interactor Toolkit for Enhancing Information.. - McCrickard (1998) (Correct)
their work. PointCast #pointcast.com# makes a **screen saver** that displays **news** items of interest and has a
or they cannot attract the attention of users when **new** information arrives. This paper explores these
by the user when it is no longer needed. However, a **new** class of program, software agents, operate in a
ftp.cc.gatech.edu/pub/gvu/tech-reports/1998/98-28.pdf

Continuous Media Retrieval Optimizer for.. - Shahabi, Dashti.. (1998) (Correct)
news service that provides information via the **screen saver**. 2 ffl delay flexibility: which specifies
1 Introduction Multimedia applications impose a **new** set of constraints on data management systems.
satisfying the temporal relationships. Some of the **new** Internet applications (e.g.Point-Cast 2 that
perspolis.usc.edu/Users/shahabi/iadt98.ps

Agent Languages - Tck (Correct)
minute .free .various **news** sources .use **screen saver** for automatic invocation 13 Search Engine
2: redesign R_NewServiceInstr 3: recommend **new** service instructions X 4: create report 1:
14 Information Filtering Process Commercial **News** Feeds **News**groups Distribution Lists **New** Web
cse.hanyang.ac.kr/~jmchoi/papers/sookmyung.ps

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

9/ 528,803

CiteSeer Find: | screen saver and advertisement | | Documents | | Citations |

Searching for **screen saver and advertisement.**
Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP
Order: citations weighted by year.

Continuous Media Retrieval Optimizer for.. - Shahabi, Dashti.. (1998) (Correct)
news service that provides information via the **screen saver**. 2 ffl delay flexibility: which specifies
it is demand driven [SG95]ffl customized **advertisement**: with the explosion of the Internet and the
attention. One such way is to use customized **advertisement**, where a number of **advertisements** that
perspolis.usc.edu/Users/shahabi/iadt98.ps

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

CiteSeer - citeseer.org - Terms of Service - Privacy Policy - Copyright © 1997-2002 NEC Research Institute

CiteSeer Find: | pointcast | | Documents | | Citations |

Searching for **pointcast**

Restrict to: <u>Header</u> <u>Title</u>   Order by: <u>Citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u>   Try: <u>Amazon</u> <u>B&N</u> <u>Google (RI)</u> <u>Google</u>
<u>(Web)</u> <u>CSB</u> <u>DBLP</u>
62 documents found. **Order: citations weighted by year.**

<u>System Design Issues for Internet Middleware Services: Deductions .. - Gribble (1997)</u> <u>(Correct)</u> <u>(127 citations)</u>
in the traces. Other" browsers observed include **PointCast**, Cyberdog, Mosaic, Opera, Lynx, JDK, and
http.cs.berkeley.edu/~gribble/papers/sys_trace.ps.gz

<u>Application-Level Differentiated Services for Web Servers - Eggert, Heidemann (1999)</u> <u>(Correct)</u> <u>(11 citations)</u>
data-driven push [Touch 1995]subscription push [**Pointcast** 1998]web prefetching [Padmanabhan and Mogul
GLOBECOM Internet Mini-Conference, pp. 41-46. **Pointcast**, Inc. 1998)How **Pointcast** Works.web page
pp. 41-46. **Pointcast**, Inc. 1998)How **Pointcast** Works.web page
usc.edu/pub/csinfo/tech-reports/papers/99-695.ps.Z

<u>Understanding TCP Dynamics in an Integrated Services Internet - Feng, Kandlur, Saha, Shin (1997)</u> <u>(Correct)</u>
<u>(21 citations)</u>
include increasingly popular applications such as **PointCast**, RealAudio, and VDOnet which stream text/image,
www.cs.umd.edu/users/debanjan/pages/../papers/nossdav97.red.ps.gz

<u>A Framework for Scalable Dissemination-Based Systems - Franklin, Zdonik (1997)</u> <u>(Correct)</u> <u>(18 citations)</u>
that employ some form of push technology include **Pointcast**, Marimba, BackWeb, and AirMedia. Push has also
using the concepts of our DBIS framework. 4.1 **Pointcast Pointcast** is a dissemination service that has
concepts of our DBIS framework. 4.1 **Pointcast Pointcast** is a dissemination service that has attracted
www.cs.brown.edu/research/ddg/papers/framework.ps.gz

<u>Understanding and Improving TCP Performance over.. - Feng, Kandlur, Saha.. (1997)</u> <u>(Correct)</u> <u>(9 citations)</u>
include increasingly popular applications such as **PointCast**, RealAudio, and VDOnet which stream text/image,
www.cs.umd.edu/~debanjan/pages/../papers/ton98.ered.ps.gz

<u>"Data In Your Face": Push Technology in Perspective - Michael Franklin (1998)</u> <u>(Correct)</u> <u>(4 citations)</u>
1.1 The Push Phenomenon In February 1996, **PointCast** made its client software available for free
machine as a display ground for flying toasters, **PointCast** would turn it into an active information
site. A number of the major push vendors such as **PointCast**, BackWeb, and AirMedia have expressed support
www.cs.umd.edu/projects/bdisk/inyourface.ps

<u>Ontology Based Personalized Search - Pretschner, Gauch (1999)</u> <u>(Correct)</u> <u>(2 citations)</u>
"portals" to the web, e.g. MyYahoo, FireFly or **PointCast** at www.yahoo.com, www.firefly.net, and
at www.yahoo.com, www.firefly.net, and www.**pointcast**.com, respectively) and filtering/rating
www4.informatik.tu-muenchen.de/~pretschn/private/../papers/ictai99.ps.gz

<u>Automated Delivery of Web Documents Through a Caching.. - Rodriguez, Biersack, Ross (1999)</u> <u>(Correct)</u>
<u>(2 citations)</u>
(other companies such as Marimba, BackWeb, and **Pointcast** also use automated pull)The primary reason
www.eurecom.fr/~ross/push.ps

<u>CQ: A Personalized Update Monitoring Toolkit - Ling Liu Calton (1998)</u> <u>(Correct)</u> <u>(3 citations)</u>
web search engines) and pure push (such as **Pointcast**, Marimba, Broadcast disks) technology, the CQ
www.cs.ualberta.ca/~wtang/CQ/sigmod_final.ps

<u>A Characterization Framework for Software Deployment .. - Carzaniga.. (1998)</u> <u>(Correct)</u> <u>(3 citations)</u>
is content delivery. Systems such Castanet, **PointCast**, and recent enhancements to Microsoft and
Autoconf Content delivery Castanet **PointCast** Rsync Rdist Table 1: Deployment
AMS Autoconf Content delivery Castanet **PointCast** Rsync Rdist Table 2: Changeability,
www.cs.colorado.edu/~carzanig/papers/CU-CS-857-98.ps.gz

<u>The Data Broadcast Problem with Preemption - Schabanel (2000)</u> <u>(Correct)</u> <u>(1 citation)</u>

CiteSeer Find: | ticker and news | | Documents | | Citations |

Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Amazon</u> <u>B&N</u> <u>Google (RI)</u> <u>Google</u> <u>(Web)</u> <u>CSB</u> <u>DBLP</u>
31 documents found. **Order: citations weighted by year.**

<u>Object Exchange Across Heterogeneous Information Sources - Papakonstantinou.. (1995)</u> <u>(Correct)</u>
<u>(190 citations)</u>
IBM product announcements, the stock market **ticker** tape, IBM profit/loss statements, **news** articles,
not stored but rather arrives on-line, e.g. over a **news** wire. As an example, consider a stock broker
market **ticker** tape, IBM profit/loss statements, **news** articles, structured databases containing
db.stanford.edu/pub/papers/object-exchange-heterogeneous-is.ps

<u>Operating System Services for Wide-Area Applications - Vahdat (1998)</u> <u>(Correct)</u> <u>(7 citations)</u>
.79 4.4.3 Stock **Ticker**: Multicast Updates .
applications, Internet chat and a stock **ticker** (providing regular stock price updates) to
has achieved the critical mass necessary to support **new** classes of wide-area distributed applications,
cag.lcs.mit.edu/pub/dm/papers/vahdat:webfs-phd.ps.gz

<u>Dissemination-Based Information Systems - Michael Franklin (1996)</u> <u>(Correct)</u> <u>(10 citations)</u>
include information feeds (e.g.stock and sports **tickers** or **news** wires)traffic information systems,
to asymmetry in an information system. A stock **ticker** application is an example of the first case. It
communications asymmetry. Asymmetry arises in many **new** applications due to both physical characteristics
www.cs.umd.edu/projects/bdisk/dbis.ps

<u>Executing Decision-theoretic Plans In.. - Williamson, Decker.. (1996)</u> <u>(Correct)</u> <u>(8 citations)</u>
Portfolio Manager Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier
Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier MATCHMAKER Historical
data, technical models, analysts' reports, breaking **news**, etc.the many sources of uncertainty and
www.soc.staffs.ac.uk/~cmryl/refpapers/execution.pdf

<u>Executing Decision-theoretic Plans in Multi-agent.. - Williamson, Decker, al. (1996)</u> <u>(Correct)</u> <u>(8 citations)</u>
Manager Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier
Agent Earnings Analysis Agent **Ticker** Tracker **Ticker** Tracker **News** Classifier MATCHMAKER Historical
data, technical models, analysts' reports, breaking **news**, etc.ffl the many sources of uncertainty and
www.cs.cmu.edu/~softagents/papers/execution.ps.gz

<u>DSML: A Proposal for XML Standards for Messaging Between.. - Dragomir Radev Nanda (1999)</u> <u>(Correct)</u>
<u>(2 citations)</u>
parameters of a stock market buy request are the **ticker** symbol of the company, the number of shares, etc.
input (e.g. a clarification or a correction or a **new** request) is again sent to the PM as described
action, given a filled template. Thus, for a stock **news** request, the AM decides which information source
perun.si.umich.edu/~radev/papers/aisb99.ps

<u>Wrens: A Framework for Rapidly Evolvable Network Services - Anurag Acharya Maximilian (1999)</u> <u>(Correct)</u>
<u>(1 citation)</u>
available (such as search engines, customized **news tickers**, price trackers, chat rooms etc)Deep as this
(customized multicast)a filtering **news ticker** which adaptively distributes customized **news**
brokerages, and travel services)In addition, **new** classes of services are made possible by the
www.cs.ucsb.edu/TRs/techreports/TRCS99-31.ps

<u>Query Processing in Heterogeneous Information Sources - Papakonstantinou (1997)</u> <u>(Correct)</u> <u>(2 citations)</u>
IBM product announcements, the stock market **ticker** tape, IBM profit/loss statements, **news** articles,
not stored but rather arrives on-line, e.g. over a **news** wire. As an example, consider a stock broker
market **ticker** tape, IBM profit/loss statements, **news** articles, structured databases containing
ftp.cis.upenn.edu/pub/cis650/public_html/yannis-thesis.ps.Z

<u>The Niagara Internet Query System - Naughton, DeWitt, Maier, Chen..</u> <u>(Correct)</u> <u>(8 citations)</u>

CiteSeer Find: | cookies and news | | Documents | | Citations |

Searching for **cookies and news**

Restrict to: <u>Header</u> <u>Title</u> Order by: <u>Citations</u> <u>Hubs</u> <u>Usage</u> <u>Date</u> Try: <u>Amazon</u> <u>B&N</u> <u>Google (RI)</u> <u>Google</u> <u>(Web)</u> <u>CSB</u> <u>DBLP</u>
24 documents found. **Order: citations weighted by year.**

<u>Class-based Cache Management for Dynamic Web Content - Zhu, Yang (2000)</u> <u>(Correct)</u> <u>(6 citations)</u>
client domain names, client IP addresses, and **cookie** values. The BNF specification of a URL class is
following an application name. And the keyword "**Cookie**:ID identifies **cookie** "ID appearing in a
as their net path prefix. Class "cgi- bin/**news**?topic=sports&country=USA"groups pages which are
www.cs.ucsb.edu/research/swala/cache2001.ps

<u>TRIAD: A New Next-Generation Internet Architecture - Cheriton, Gritter (2000)</u> <u>(Correct)</u> <u>(4 citations)</u>
identi cation, optionally augmented with web **cookies**"Further, this \network pointer" is realized as
a URL and possibly other information, such as **cookies**" to the content layer's directory system. For
TRIAD: A **New** Next-Generation Internet Architecture Computer
www-dsg.stanford.edu/triad/triad.ps.gz

<u>Electronic Commerce and Competitive First-Degree Price.. - David Ulph And (2000)</u> <u>(Correct)</u> <u>(2 citations)</u>
from the user's browser, for example by using **cookies** or agents)learning (the agent monitors and
market. Whether or not firms will choose to use this **new** technology will depend on whether or not the
allows the construction a individually tailored **news** web page, while at the same time customising the
www.ecn.bris.ac.uk/www/ecnv/vulkan.pdf

<u>Application-Level Differentiated Multimedia Web Services.. - Chandra, Ellis, Vahdat (2000)</u> <u>(Correct)</u> <u>(1 citation)</u>
as client IP addresses, browser parameters such as **cookies** as well as the client transaction state (e.g.
deal with peak loads. For example, when significant **news** stories break, **news** sites such as MSNBC and CNN
For example, when significant **news** stories break, **news** sites such as MSNBC and CNN export a lightweight
www.cs.uga.edu/~surendar/papers/jsac.pdf

<u>Click-once Hypertext: Now You See It, Now You Don't - Fred Douglis At</u> <u>(Correct)</u>
themselves to elision. Our implementation uses **cookies** to record information about which links have
about which links have been followed. The **cookies** en- sure that the next time the user retrieves
Some of these pages contain transient data such as **news** items that are typically viewed once via that page
www.research.att.com/~misha/otherPubs/smash.ps.gz

<u>Unknown - Tcp Ip Directory</u> <u>(Correct)</u>
117 Using **Cookies**
of the client object. This can be client **cookie**, client URL, server IP, server **cookie**, or server
developer.netscape.com/docs/manuals/ssjs/1_4/ssjs.pdf

<u>MyLibrary, A Personalization Service for Digital Library.. - Mariella Di Giacomo</u> <u>(Correct)</u>
navigation, extract data from a Web page, control **cookies** and many other handy tools. Figure 2. Adding a
on digital information services, has provided **new** products and has offered significant commercially
Our main reason for the design and development of a **new** online service, even though the market has
www.ercim.org/publication/ws-proceedings/DelNoe02/Giacomo.pdf

<u>KDD for Personalization - Pkdd Tutorial September</u> <u>(Correct)</u>
logs, referrer logs, agent logs, and client-side **cookies** e-commerce and product-oriented user events
(including URL stem and query)referrer, agent, **cookie**, etc. User identification and sessionization
of the merchandizing chain #introduce a brilliant **new** product in the market The product must bring added
www.afia.polytechnique.fr/CAFE/ECML01/T05.pdf

<u>Anonymous and Untraceable Communications - With The Aim</u> <u>(Correct)</u>
personal information from users through forms, **cookies**, online registrations, or surveys than never
hosts. In addition, Anonymizer Surfing prevents "**cookies**" from being placed on users' hard drives,via
or surveys than never before. With the **new** wireless technologies mobility will be available
www.it.kth.se/~aep/publications/licentiate/licentiate-proposal-escuderoa.ps

CiteSeer Find: | cookies and advertisement | | Documents | | Citations |

Searching for cookies and advertisement

Restrict to: Header Title Order by: Citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP

6 documents found. **Order: citations weighted by year.**

SPIRIT: Sequential Pattern Mining with Regular.. - Garofalakis, Rastogi.. (1999) (Correct) (7 citations)
a specific web page. However, referrers and **cookies** can be used to determine the sequence of
to better marketing decisions (e.g.strategic **advertisement** placement)As a more concrete example, the
www.bell-labs.com/project/serendip/Papers/vldb99-cam.ps.gz

Measuring the Accuracy of Sessionizers for Web Usage Analysis - Bettina Berendt Bamshad (2001) (Correct)
(1 citation)
devised to overcome these shortcomings, including **cookies**, timeout-based sessionizing mechanisms and
The most widespread remedy amounts to the usage of **cookies**. A **cookie** is a small piece of code associated
associations among products, impact of **advertisement** banners, web marketing campaigns and product
maya.cs.depaul.edu/~mobasher/papers/wm-siam01.pdf

Economic Markets as a Means of Open Mobile-Agent Systems - Bredin, Kotz, Rus (1999) (Correct) (3 citations)
examining an HTML file. Often browsers exchange **cookies** with servers, negotiate security protocols,
resource contention and site congestion. Price **advertisement** provides a simple means of agent coordination
agent.cs.dartmouth.edu/papers/bredin:position.ps.gz

A Reference Model for Designing a Curriculum for E-commerce.. - Cy Mar Ch (Correct)
the use of customer tracking (e.g.through **cookies**) combined with data mining techniques,
from subscriptions, and in other cases from **advertisement**)Business policies: at the business
revenue generating model: sales, subscription, **advertisement**. business policies: return, privacy,
www.cs.gmu.edu/~menasce/papers/menasce-ieee-concurrency.pdf

Design and Analysis of an Anonymous Communications Channel for.. - Freedman (2000) (Correct)
it, and the frequency and times of user accesses. **Cookies** on a client's browser may be used to store
characteristics are transmitted (i.e.pseudonyms, **Cookies**)an adversary can link past and future
ground checks with a click of the mouse. An **advertisement** agency or telemarketer can pinpoint exactly
theory.lcs.mit.edu/~cis/theses/freedman-bachelors.ps

A Grammatical Approach to User Model Resolution for.. - Manousopoulou.. (2000) (Correct)
three dioeerent types of bread and four types of **cookies**, each one of which is also displayed on a
(that is, most possible to succeed) targeted **advertisement**. 117 Manousopoulou &Papakonstantinou ffl
www-sop.inria.fr/oasis/WAGA00/proceedings/Manousopoulou/manousopoulou.ps

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP